



Subject Index

Volume 66 (1993)

- 1-*O*-(12-NBD-aminododecyl)-*sn*-glycerol, glyceryl ethers, fluorescently labeled ether lipids, 2,5-*O*-methylene-D-mannitol, 2,2'-*O*-methylene-bis-(3-*O*-trityl-*sn*-glycerol), 1-*O*-hexadecyl-*sn*-glycerol, 111
- acetates, ³¹C-NMR, long-chain acids, esters, nitriles, alcohols, 189
- 1-acetyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, 1-acyl-2-alkyl-*sn*-glycero-3-phosphocholine, 1-palmitoyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, PHPC, AHPC, palmitic anhydride, 161
- 1-acyl-2-alkyl-*sn*-glycero-3-phosphocholine, 1-palmitoyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, PHPC, 1-acetyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, AHPC, palmitic anhydride, 161
- AHPC, 1-acyl-2-alkyl-*sn*-glycero-3-phosphocholine, 1-palmitoyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, PHPC, 1-acetyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, palmitic anhydride, 161
- alcohols, ³¹C-NMR, long-chain acids, esters, nitriles, acetates, 189
- aldehyde, autooxidation, linoleic acid, decadienal, 13
- aminophospholipid translocase, plasmalogen, lipid asymmetry, spin-label, erythrocyte, 225
- arachidonic acid, Fe-ascorbate peroxidation, pyrophosphate, liposomes, 87
- autooxidation, linoleic acid, aldehyde, decadienal, 13
- biological membrane, homogeneous sphingomyelins, ¹³C-labeled sphingomyelins, ceramide, fatty acids, 41
- biosynthetic inhibitor, mycobacteria, mycolic acids, cyclopropene fatty acids, 35
- biosynthetic intermediates, mycolic acids, tetracos-5-enoic acid, 6-methyltetracos-4-enoic acid, fatty acid synthesis, 23
- ¹³C-labeled sphingomyelins, homogeneous sphingomyelins, ceramide, fatty acids, biological membrane, 41
- ³¹C-NMR, long-chain acids, esters, nitriles, alcohols, acetates, 189
- ¹³C-NMR, molecular dynamics, generalised order parameter, cholesterol, DMPC, vesicles, membranes, 1
- CD, α -helicity, DSC, LDL, oxidation, thermotropic transition, 231
- ceramide, homogeneous sphingomyelins, ¹³C-labeled sphingomyelins, fatty acids, biological membrane, 41
- cholesterol, ¹³C-NMR, molecular dynamics, generalised order parameter, DMPC, vesicles, membranes, 1
- cholesterol, octylglucoside, diglycerol hexadecylether, vesicle reconstitution, kinetics, 93
- cis*-unsaturated fatty acid, fatty acid mixture, phase diagram, miscibility, polymorphism, DSC, 209
- concanavalin A, 2,3-dideoxy-D-erythro-hex-2-enopyranoside, NMR, lectin, 155
- copper(II) acetate, α -ketols, linoleic acid, α -linolenic acid, redox reactions, oxidation products, 2,6-dichlorophenolindophenol, 199
- cutin, esterases, hydroxyhexadecanoate, polyester, cyclodextrin, 215
- cyclic fatty acids, silver ion chromatography, high performance liquid chromatography, gas chromatography, mass spectrometry, 143
- cyclodextrin, cutin, esterases, hydroxyhexadecanoate, polyester, 215
- cyclopropene fatty acids, mycobacteria, mycolic acids, biosynthetic inhibitor, 35
- decadienal, autooxidation, linoleic acid, aldehyde, 13
- 2,6-dichlorophenolindophenol, α -ketols, linoleic acid, α -linolenic acid, redox reactions, oxidation products, copper(II) acetate, 199
- 2,3-dideoxy-D-erythro-hex-2-enopyranoside, NMR, lectin, concanavalin A, 155
- differential scanning calorimetry, differential scanning densitometry, lipoid acid, phase transition, polymerizable phospholipids, 63
- differential scanning calorimetry, glycolipids, galactolipids, phase transitions, X-ray scattering, 55
- differential scanning calorimetry, lipid phase transitions, nitrophenyl esters of fatty acids, 47
- differential scanning densitometry, differential scanning calorimetry, lipoid acid, phase transition, polymerizable phospholipids, 63
- diglycerol hexadecylether, octylglucoside, cholesterol, vesicle reconstitution, kinetics, 93
- dipalmitoylphosphatidylcholine, Langmuir-Blodgett film, elec-

- tron microscopy, microstructure, plasma polymerization replica film, 219
- diphenylhexatriene derivatives, fluorescent probes, partition coefficients, membrane fluidity, interdigitation, 135
- DMPC, ^{13}C -NMR, molecular dynamics, generalised order parameter, cholesterol, vesicles, membranes, 1
- DNA, sphingosine, phosphatidic acid, liposomes, 75
- DSC, α -helicity, CD, LDL, oxidation, thermotropic transition, 231
- DSC, fatty acid mixture, *cis*-unsaturated fatty acid, phase diagram, miscibility, polymorphism, 209
- DSC, hexagonal phase, phosphatidylethanolamine, phase equilibria, ^{31}P -NMR, 181
- DSC, sphingosine, phospholipid, thermal phase behaviour, 123
- electron microscopy, dipalmitoylphosphatidylcholine, Langmuir-Blodgett firm, microstructure, plasma polymerization replica film, 219
- enzymatic conversion, lipase, phosphatidylcholine, phospholipid, phase behaviour, 195
- erythrocyte, plasmalogen, lipid asymmetry, aminophospholipid translocase, spin-label, 225
- esterases, cutin, hydroxyhexadecanoate, polyester, cyclodextrin, 215
- esters, ^{31}C -NMR, long-chain acids, nitriles, alcohols, acetates, 189
- fatty acid mixture, *cis*-unsaturated fatty acid, phase diagram, miscibility, polymorphism, DSC, 209
- fatty acid synthesis, mycolic acids, biosynthetic intermediates, tetracos-5-enoic acid, 6-methyltetracos-4-enoic acid, 23
- fatty acid, NBD, triacylglycerol, lipase, fluorescence, synthesis, 171
- fatty acids, homogeneous sphingomyelins, ^{13}C -labeled sphingomyelins, ceramide, biological membrane, 41
- Fe-ascorbate peroxidation, arachidonic acid, pyrophosphate, liposomes, 87
- fluorescence, NBD, triacylglycerol, lipase, synthesis, fatty acid, 171
- fluorescent probes, diphenylhexatriene derivatives, partition coefficients, membrane fluidity, interdigitation, 135
- fluorescently labeled ether lipids, glyceryl ethers, 2,5-*O*-methylene-*D*-mannitol, 2,2'-*O*-methylene-bis-(3-*O*-trityl-*sn*-glycerol), 1-*O*-hexadecyl-*sn*-glycerol, 1-*O*-(12-NBD-aminododecyl)-*sn*-glycerol, 111
- galactolipids, glycolipids, phase transitions, differential scanning calorimetry, X-ray scattering, 55
- gas chromatography, cyclic fatty acids, silver ion chromatography, high performance liquid chromatography, mass spectrometry, 143
- generalised order parameter, ^{13}C -NMR, molecular dynamics, cholesterol, DMPC, vesicles, membranes, 1
- glyceryl ethers, fluorescently labeled ether lipids, 2,5-*O*-methylene-*D*-mannitol, 2,2'-*O*-methylene-bis-(3-*O*-trityl-*sn*-glycerol), 1-*O*-hexadecyl-*sn*-glycerol, 1-*O*-(12-NBD-aminododecyl)-*sn*-glycerol, 111
- glycolipids, galactolipids, phase transitions, differential scanning calorimetry, X-ray scattering, 55
- α -helicity, CD, DSC, LDL, oxidation, thermotropic transition, 231
- 1-*O*-hexadecyl-*sn*-glycerol, glyceryl ethers, fluorescently labeled ether lipids, 2,5-*O*-methylene-*D*-mannitol, 2,2'-*O*-methylene-bis-(3-*O*-trityl-*sn*-glycerol), 1-*O*-(12-NBD-aminododecyl)-*sn*-glycerol, 111
- hexagonal phase, phosphatidylethanolamine, phase equilibria, DSC, ^{31}P -NMR, 181
- high performance liquid chromatography, cyclic fatty acids, silver ion chromatography, gas chromatography, mass spectrometry, 143
- homogeneous sphingomyelins, ^{13}C -labeled sphingomyelins, ceramide, fatty acids, biological membrane, 41
- hydroxyhexadecanoate, cutin, esterases, polyester, cyclodextrin, 215
- interdigitation, fluorescent probes, diphenylhexatriene derivatives, partition coefficients, membrane fluidity, 135
- α -ketols, linoleic acid, α -linolenic acid, redox reactions, oxidation products, copper(II) acetate, 2,6-dichlorophenolindophenol, 199
- kinetics, octylglucoside, cholesterol, diglycerol hexadecylether, vesicle reconstitution, 93
- Langmuir-Blodgett firm, dipalmitoylphosphatidylcholine, electron microscopy, microstructure, plasma polymerization replica film, 219
- LDL, α -helicity, CD, DSC, oxidation, thermotropic transition, 231
- lectin, 2,3-dideoxy-*D*-erythro-hex-2-enopyranoside, NMR, concanavalin A, 155
- linoleic acid, α -ketols, α -linolenic acid, redox reactions, oxidation products, copper(II) acetate, 2,6-dichlorophenolindophenol, 199
- linoleic acid, autooxidation, aldehyde, decadienal, 13
- α -linolenic acid, α -ketols, linoleic acid, redox reactions, oxidation products, copper(II) acetate, 2,6-dichlorophenolindophenol, 199
- lipase, NBD, triacylglycerol, fluorescence, synthesis, fatty acid, 171
- lipase, phosphatidylcholine, phospholipid, enzymatic conversion, phase behaviour, 195
- lipid asymmetry, plasmalogen, aminophospholipid translocase, spin-label, erythrocyte, 225
- lipid phase transitions, differential scanning calorimetry, nitrophenyl esters of fatty acids, 47
- lipoic acid, differential scanning calorimetry, differential scanning densitometry, phase transition, polymerizable phospholipids, 63
- liposomes, Fe-ascorbate peroxidation, arachidonic acid, pyrophosphate, 87
- liposomes, sphingosine, phosphatidic acid, DNA, 75
- long-chain acids, ^{31}C -NMR, esters, nitriles, alcohols, acetates, 189
- mass spectrometry, cyclic fatty acids, silver ion chromatography, high performance liquid chromatography, gas chromatography, 143
- membrane fluidity, fluorescent probes, diphenylhexatriene derivatives, partition coefficients, interdigitation, 135
- membranes, ^{13}C -NMR, molecular dynamics, generalised order parameter, cholesterol, DMPC, vesicles, 1
- 2,5-*O*-methylene-*D*-mannitol, glyceryl ethers, fluorescently

- labeled ether lipids, 2,2'-*O*-methylene-bis-(3-*O*-trityl-*sn*-glycerol), 1-*O*-hexadecyl-*sn*-glycerol, 1-*O*-(12-NBD-amino-dodecyl)-*sn*-glycerol, 111
- 2,2'-*O*-methylene-bis-(3-*O*-trityl-*sn*-glycerol), glyceryl ethers, fluorescently labeled ether lipids, 2,5-*O*-methylene-D-mannitol, 1-*O*-hexadecyl-*sn*-glycerol, 1-*O*-(12-NBD-amino-dodecyl)-*sn*-glycerol, 111
- 6-methyltetraacos-4-enoic acid, mycolic acids, biosynthetic intermediates, tetraacos-5-enoic acid, fatty acid synthesis, 23
- microstructure, dipalmitoylphosphatidylcholine, Langmuir-Blodgett firm, electron microscopy, plasma polymerization replica film, 219
- miscibility, fatty acid mixture, *cis*-unsaturated fatty acid, phase diagram, polymorphism, DSC, 209
- molecular dynamics, ¹³C-NMR, generalised order parameter, cholesterol, DMPC, vesicles, membranes, 1
- mycobacteria, mycolic acids, cyclopropane fatty acids, biosynthetic inhibitor, 35
- mycolic acids, biosynthetic intermediates, tetraacos-5-enoic acid, 6-methyltetraacos-4-enoic acid, fatty acid synthesis, 23
- mycolic acids, mycobacteria, cyclopropane fatty acids, biosynthetic inhibitor, 35
- NBD, triacylglycerol, lipase, fluorescence, synthesis, fatty acid, 171
- nitriles, ³¹P-NMR, long-chain acids, esters, alcohols, acetates, 189
- nitrophenyl esters of fatty acids, differential scanning calorimetry, lipid phase transitions, 47
- NMR, 2,3-dideoxy-D-erythro-hex-2-enopyranoside, lectin, concanavalin A, 155
- octylglucoside, cholesterol, diglycerol hexadecylether, vesicle reconstitution, kinetics, 93
- oxidation products, α -ketols, linoleic acid, α -linolenic acid, redox reactions, copper(II) acetate, 2,6-dichlorophenol-indophenol, 199
- oxidation, α -helicity, CD, DSC, LDL, thermotropic transition, 231
- ³¹P-NMR, hexagonal phase, phosphatidylethanolamine, phase equilibria, DSC, 181
- palmitic anhydride, 1-acyl-2-alkyl-*sn*-glycero-3-phosphocholine, 1-palmitoyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, PHPC, 1-acetyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, AHPC, palmitic anhydride, 161
- 1-palmitoyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, 1-acyl-2-alkyl-*sn*-glycero-3-phosphocholine, PHPC, 1-acetyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, AHPC, palmitic anhydride, 161
- partition coefficients, fluorescent probes, diphenylhexatriene derivatives, membrane fluidity, interdigitation, 135
- phase behaviour, lipase, phosphatidylcholine, phospholipid, enzymatic conversion, 195
- phase diagram, fatty acid mixture, *cis*-unsaturated fatty acid, miscibility, polymorphism, DSC, 209
- phase equilibria, hexagonal phase, phosphatidylethanolamine, DSC, ³¹P-NMR, 181
- phase transition, differential scanning calorimetry, differential scanning densitometry, lipoic acid, polymerizable phospholipids, 63
- phase transitions, glycolipids, galactolipids, differential scanning calorimetry, X-ray scattering, 55
- phosphatidic acid, sphingosine, DNA, liposomes, 75
- phosphatidylcholine, lipase, phospholipid, enzymatic conversion, phase behaviour, 195
- phosphatidylethanolamine, hexagonal phase, phase equilibria, DSC, ³¹P-NMR, 181
- phospholipid, lipase, phosphatidylcholine, enzymatic conversion, phase behaviour, 195
- phospholipid, sphingosine, thermal phase behaviour, DSC, 123
- PHPC, 1-acyl-2-alkyl-*sn*-glycero-3-phosphocholine, 1-palmitoyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, 1-acetyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, AHPC, palmitic anhydride, 161
- plasma polymerization replica film, dipalmitoylphosphatidylcholine, Langmuir-Blodgett firm, electron microscopy, microstructure, 219
- plasmalogen, lipid asymmetry, aminophospholipid translocase, spin-label, erythrocyte, 225
- polyester, cutin, esterases, hydroxyhexadecanoate, cyclodextrin, 215
- polymerizable phospholipids, differential scanning calorimetry, differential scanning densitometry, lipoic acid, phase transition, 63
- polymorphism, fatty acid mixture, *cis*-unsaturated fatty acid, phase diagram, miscibility, DSC, 209
- pyrophosphate, Fe-ascorbate peroxidation, arachidonic acid, liposomes, 87
- redox reactions, α -ketols, linoleic acid, α -linolenic acid, oxidation products, copper(II) acetate, 2,6-dichlorophenol-indophenol, 199
- silver ion chromatography, cyclic fatty acids, high performance liquid chromatography, gas chromatography, mass spectrometry, 143
- sphingosine, phosphatidic acid, DNA, liposomes, 75
- sphingosine, phospholipid, thermal phase behaviour, DSC, 123
- spin-label, plasmalogen, lipid asymmetry, aminophospholipid translocase, erythrocyte, 225
- synthesis, NBD, triacylglycerol, lipase, fluorescence, fatty acid, 171
- tetraacos-5-enoic acid, mycolic acids, biosynthetic intermediates, 6-methyltetraacos-4-enoic acid, fatty acid synthesis, 23
- thermal phase behaviour, sphingosine, phospholipid, DSC, 123
- thermotropic transition, α -helicity, CD, DSC, LDL, oxidation, 231
- triacylglycerol, NBD, lipase, fluorescence, synthesis, fatty acid, 171
- vesicle reconstitution, octylglucoside, cholesterol, diglycerol hexadecylether, kinetics, 93
- vesicles, ¹³C-NMR, molecular dynamics, generalised order parameter, cholesterol, DMPC, membranes, 1
- X-ray scattering, glycolipids, galactolipids, phase transitions, differential scanning calorimetry, 55

L

S

03

I



Author Index

Volume 66 (1993)

Adlercreutz, P.	195	Ilyasov, A.V.	199
Araki, T.	219	Inoue, T.	209
Aro, A.	75	Iriyama, K.	219
Bae, S.-J.	47	Kinnunen, P.K.J.	75, 123
Baird, M.S.	35	Kleuser, B.	111
Beck, A.	135	Kõiv, A.	75, 123
Besra, G.S.	23, 35	Koynova, R.D.	55
Beswick, P.H.	1	Kuramshin, R.A.	199
Blume, A.	63	Kuttenreich, H.	55
Brechany, E.Y.	143	Larsson, K.	195
Butcher, Jr., J.A.	41	Latypov, S.K.	199
Cazzola, R.	87	Lehtonen, J.	75
Cervato, G.	87	Lemay, C.T.	181
Cestaro, B.	87	Lesieur, S.	93
Christie, W.W.	143	Malcolmson R.J.	1
Devaux, P.F.	225	Mattiasson, B.	195
Dong, Z.	41	McIntyre, J.C.	171
Duclos, Jr., R.I.	161	McIntyre, S.E.	155
Duportail, G.	135	Miesiz, Y.	195
Edwards, K.	93	Minnikin, D.E.	23, 35
Epand, R.M.	181	Moreau, R.A.	215
Fellmann, P.	225	Morita, M.	13
Fett, W.F.	215	Motoda, I.	209
Gatti, P.	87	Mukhtarova, L.S.	199
Gerard, H.C.	215	Mustonen, P.	75, 123
Gercken, G.	111	Okamura, E.	219
Grechkin, A.N.	199	Ollivon, M.	93
Gunstone, F.D.	189	Osman, S.F.	215
Hare, B.J.	155	Parkinson, J.A.	1
Heissler, D.	135	Pax, H.	63
Herak, J.N.	231	Prestegard, J.H.	155
Hervé, P.	225	Le Quere, J.L.	143
Higinbotham, J.	1	Ratledge, C.	23, 35
Hinz, H.-J.	55	Reed, D.	1
Hiramatsu, N.	209	Rytömaa, M.	75

Sadler, I.H.	1	Svensson, I.	195
Safonova, E.Y.	199	Tenchov, B.G.	55
Sanders II, C.R.	155	Tokita, M.	13
Sato, K.	209	Umemura, J.	219
Schmidt, N.	111	Viani, P.	87
Sebedio, J.L.	143	Watson, D.	171
Seras, M.	93	Wheeler, P.R.	23, 35
Simpson, M.J.	35		
Sleight, R.G.	171		
Sturtevant, J.M.	47		
Suzuki, M.	209		

